


Lagoon 620



09/2011

Español / English

SISTEMAS DE GOBIERNO

- 2 timones pasantes: sándwich espuma y eje de acero inoxidable.
- Limeras de epoxi.
- Cojinetes altos y bajos autoalineantes.
- Transmisión toda hidráulica con bombas manuales en las ruedas de timón. 1 gato hidráulico por timón.

PROPULSION**MOTOR Y TRANSMISIÓN**

- 2 Diesel VOLVO D3-110CV a 3000rev/mn.
- Mandos motores y cuadros de control en puesto de gobierno babor en fly
- Árboles de acero inoxidable sobre soportes.
- 2 hélices de palas fijas.
- Acceso a los motores por grandes escotillas con gatos de gas de acero inoxidable en cubierta

- Ventilación cala máquina : aspiración natural y extracción manual en viga de popa.
- 1 toma 220V por sentina motor
- 1 iluminación en cada compartimento motor
- Insonorización de los compartimentos motores : espuma en mamparos motor

CAPACIDAD CARBURANTE

- 2 depósitos gasoil de aluminio : 1300L en total, bajo suelos por delante del mamparo motor
- Registros y respiraderos situados en viga de popa.
- Equipos incluyendo :
 - indicadores de nivel eléctricos,
 - sistema de filtración : prefiltro decantador con detector y filtro,
 - Mando a distancia de corte gasoil en camarotes de popa.

STEERING SYSTEM

- 2 foam core spade rudders, stainless steel rudder shafts
- Epoxy rudder tubes
- Upper and lower self-aligning rudder bearings
- Full hydraulic steering system with manual pumps on each wheel. 1 hydraulic ram per rudder

PROPULSION ENGINES & TRANSMISSION

- 2 Volvo D3-110 HP Diesel engines, 3000 rpm
- Engine throttles and control panel on port steering station on flybridge
- Conventional stainless steel propeller shafts with "p" brackets
- 2 fixed propellers
- Engine access through large deck hatches
- Stainless steel gas struts on hatches
- Ventilation system (natural aspiration and forced extraction)
- 1 x 220 V outlet per engine room

- Engine rooms lights
- Sound insulation of engine compartments: foam on bulkheads

DIESEL CAPACITY

- 2 stainless steel fuel tanks : 1300 l total (343 US Gal), under floors forward of the engine rooms bulkheads
- Fuel fillers caps and vents on aft cross beam
- Equipment includes :
 - Electric gauges
 - Fuel filter systems: pre-filter with water separator and primary filter
 - Remote fuel shut off valve in aft cabins

PLUMBING

- Fresh water
 - Fresh water tanks – 960 l (254 US Gal) total
 - Under cabin floors
 - Fresh water circuit with 2 x 24V pressure pumps (located in engine compartments)

FONTANERÍA

- Agua dulce :
 - Depósitos agua dulce - 960L en total – situados bajo suelos camarotes
 - Sistema agua dulce incluyendo 2 grupos agua presión 24V (situados en compartimentos motores)
 - 2 calentadores de agua eléctricos con intercambiador en motores 63 litros cada uno.
 - 1 ducha de faldón (AC/AF) en cada faldón.
 - Registros agua dulce con marca en cubierta.
 - Toma de muelle agua dulce (a babor)
- Aguas grises :
 - Desagüe de ducha y lavabos por caja de aguas grises y bomba automática
 - Desagüe fregaderos cocina directo al mar.
- Aguas negras :
 - 1 depósito aguas negras por WC (73 litros),

- 2 X 63 l (17 US Gal) electric water heaters linked to engines heat exchangers
- 1 transom shower (hot/cold) to starboard (2nd shower optional)
- 2 water fillers on deck
- Fresh water dock inlet (port side)

- Grey water
 - Shower and washbasin drain to grey water collection box (automatic pump out with float switch)
 - Sinks drain directly overboard

- Black water
 - 1 holding tank per toilet 73 L (19 US Gal) with deck pump out or gravity drain to sea
 - Electric TECMA fresh water toilet in each head
- Bilge pump system
 - Self bailing cockpit following EC regulation
 - 1 bilge pump with auto float switch and manual override + bilge level alarm in each hull

vaciado cubierta o mar por gravedad.

- WC eléctrico TECMA agua dulce en cada aseo

- Sistema de achique

- Bañera autovaciante según normas CE.
- Bomba eléctrica de sumidero de activación automática en cada casco + marcha manual de activación manual + alarma de nivel de sumidero.
- 1 bomba manual de sumidero por casco activada desde la bañera.
- 1 bomba eléctrica de achique por compartimento motor con activación automática

ELECTRICIDAD

- Sistema 220V CA incluyendo :
 - 2 tomas por camarote (camarote propietario : 3), 5 en el salón, 4 en la cocina y una en cada callejón, 1 en cada compartimento motor, 1 en compartimento técnico

- 1 manual bilge pump for use from the cockpit
- 1 bilge pump in each engine room with auto float switch

ELECTRICS

- 220V AC Circuit
 - 2 outlets per cabin (owner's cabin : 3), 5 in the saloon, 4 in the galley, one per gangway, 1 per engine compartment, and 1 in the technical compartment
 - 220V electric panel with power source selector, voltmeter
 - 30 Amp dock inlet in the aft transom with 15m (49' 3" feet) shore power cord
- 24 V circuit :
 - 24 V 420 Ah gel service battery bank (840 Ah optional)
 - 24V electrical panel with battery bank monitor
 - Breaker-box for the 24V system
 - 2 engine driven 110 Ah 24V Mastervolt

- 1 cuadro 220V con selector de fuente, voltímetro
- 1 toma de muelle 30A en faldón de popa con alargadera 15m
- Sistema 24V incluyendo :
 - 1 parque baterías servicio gel 24V 420Ah. (opción 840Ah)
 - 1 cuadro 24V para las funciones principales con indicador de baterías.
 - 1 caja de protección potencia.
 - 2 alternadores acoplados MASTERVOLT 24V
- Sistema 12V incluyendo :
 - 1 batería de arranque 12V 50 Ah por motor
 - 2 alternadores MASTERVOLT 12V
 - 1 batería de arranque 12V 50 Ah para el grupo electrógeno (opción)

alternators

- 12 V circuit
- 1 X 12 V 50 Ah start battery per engine
- 2 X 12 V Mastervolt alternators
- 1 X 12 V 50 Ah start battery for the generator (option)

INSIDE ACCOMMODATIONS

4 versions

- 4 CABIN VERSION : 4 WASHROOMS-LATERAL GALLEY (owner's cabin in starboard hull)
- 5 CABIN VERSION : 5 WASHROOMS-LATERAL GALLEY
- 5 CABIN VERSION : 5 WASHROOMS-PANORAMIC GALLEY (owner's cabin in starboard hull)
- 6 CABIN VERSION : 6 WASHROOMS-

ACOMODACIONES INTERIORES

■ 2 versiones

- VERSIÓN 4 : cocina en casco babor, 4 camarotes (camarote propietario a estribor)
 - VERSIÓN 5 : cocina en casco babor, 5 camarotes
- Descripción de las acomodaciones comunes a las 2 versiones

Salón

- Acceso desde la bañera por puerta corredera con cerradura y bloqueo interior y exterior, puntos de bloqueo intermediarios
- Cofres bajo los suelos en crujía con escotillas de bisagras y gato
- 4 escotillas practicables en el conjunto de cristales de la parte delantera.
- Cortinas en parte delantera
- 1 bajada junto a mamparo de tambucho por

PANORAMIC GALLEY

Description of areas common to LATERAL GALLEY versions

Salon

- Access from the cockpit through sliding & locking door with latching mechanism inside and out. Half way latching points
- Storage under floors with hinged panels and lifting arm
- 4 opening hatches on the front windows
- Forward window curtains
- Companionway steps port and stbd against coachouse bulkhead
- Companionway steps port and stbd behind mast bulkhead
- Lockers on mast bulkhead including :
 - Dish cupboard
 - Storage

- cada lado.
- 1 bajada detrás del mamparo de mástil por cada lado
 - Mueble mamparo de mástil :
 - aparador,
 - espacios de estiba.

Mesa de cartas

- Mesa de cartas con cajones de estiba debajo
- 1 asiento mesa de cartas
- Consola instrumentación con sitio para instalación de la electrónica empotrable
- Cuadro de los indicadores de nivel y de las luces de navegación
- Cuadro eléctrico principal detrás de la puerta corredera a estribor de la mesa de cartas
- 1 Toma 220V.
- 1 Toma 12V.

A babor

- Sofá 3 asientos con "lazy boy"
- 1 mesa baja
- 1 mueble bar por delante del sofá
 - Espacio de estiba
 - Sitio para TV (TV en elevador eléctrico en opción)
- 1 Toma 220V.

A estribor

- Sofá 5 asientos
- 2 mesas bajas transformables en mesa de comida (pies telescópicos)
- 4 sillas
- 1 Toma 220V.

Casco babor

Cocina

- Acceso desde detrás por puerta cristalera

Chart table

- Storage locker under chart table
- 1 seat at chart table
- Instrument console with panel for electronic equipment (recessed installation)
- Panel with gauges and navigation lights
- Main electric panel behind a sliding door on starboard side of the chart table
- 1 X 220 V outlet
- 1 X 12 V outlet

To port

- Couch for 3 with lounge chair
- Footrest (upholstery to be selected by client)
- cabinet forward of the settee including
 - Storage at the front
 - Bottle storage space
 - Space for flatscreen TV on electric lift (option)
- 1 X 220 V outlet

To starboard

- Couch for 5 people
- 2 coffee tables convertible into one large dining table (telescopic legs)
- 1X 220 V outlet

Port hull

Galley

- Access from cockpit through sliding glass door and steps
- Access from the salon through gangway steps (communicating door optional)
- 2 opening deck hatches
- Spotlights at ceiling and indirect lighting from inside the plating

Outboard side

- White solid material countertop (White Ice Corian®)
- 2 waste bins under countertop for selective refuse

corredera y escalera

- Acceso desde el salón por escalera de bajada
- 2 escotillas de cubierta practicables

Banda exterior

- Encimera de resina sintética (Corian Ice White)
- 2 cubos de la basura debajo encimera para recogida selectiva
- 1 frigorífico / congelador 220V 2 puertas 500L con dispensador de cubitos, convertidor 24/220V destinado
- Sitio para lavadora (opción)
- Sitio para lavavajillas (opción) + armario alto
- 3 tomas 220V
- Armarios bajos con estantes.
- 1 portillo de casco practicable.
- 1 ventana de casco fija de PMMA serigrafiado.
- Fregadero doble de acero inoxidable con grifo monomando AC/AF

Banda interior

- Encimera de resina sintética (Corian Ice White)
 - Placa 4 fuegos gas
 - Campana eléctrica (en opción)
 - Horno gas
 - Horno microondas multifunción (en opción)
 - Muebles altos.
 - Alacenas bajas con cajones y estantes
 - Iluminación con focos en techo y bajo los muebles altos
- Camarote central babor
- Acceso desde la cocina por puerta de madera
 - 1 cama doble – 2.05 x 1.60 m – con accesos laterales. Somier de láminas.
 - Cabezal de cama acolchado.
 - Estantes cabecera de cama.
 - Cajones de estiba bajo cama
 - Armario ropero con luz + estantes.
 - 1 portillo de casco practicable.

- 1 double-door side by side fridge/freezer 220V 500l (132 US Gal) with ice maker and dedicated 24/220V inverter
- Dedicated space for washer/dryer (optional)
- Dedicated space for dish washer (optional) + upper storage
- 3 X 220 V outlets
- Lower storage with shelves
- Opening porthole
- 1 large one way fixed hull window
- 1 double stainless steel sink with cold/hot water mixer tap
- Bottles and knives storage
- Liquid soap dispenser

Inboard side

- White solid resin countertop (Ice White Corian®)
- Built in stainless steel dish rest
- 5 burner butane stove
- Electric hood over the stove (option)
- Butane oven

- Space for multifunction micro-wave oven (option)
- Upper storage cupboards
- Lower storage cupboards with drawers and shelves
- Indirect lighting from upper storage cabinets
- 2 X 220 V outlets

Port amidships cabin

- Access from the forward port gangway
- Queen size bed (2,05 m/6'9" X 1,60 m/5'3") with side access and wood slats under mattress
- Upholstered bed head board
- Bedside storage
- Under bed storage
- Hanging locker with light and shelves
- 1 opening port hole
- Large one way fixed hull window
- Opaque window curtains
- Opening deck hatch with mosquito screen and blind

- 1 ventana de casco fija de PMMA serigrafiado.
- Cortinas de tela ocultantes
- Escotilla de cubierta practicable con mosquitero y obturador.
- Puerta de acceso directo al cuarto de baño, por la ducha, con espejo de cuerpo entero lado camarote.
- Altura de baos mini de 2.05m.
- 2 tomas 220V.
- Contramolde de techo con paneles de revestimiento.
- Iluminación general del camarote con conmutador cerca cama + luces de lectura en cabecera de camas.

Cuarto de aseo camarote central babor

- Acceso al cuarto de baño por el callejón :función WC de día.
- Panel de resina sintética (color: Coffee bean)

- sobre pila de composite integrada.
- Ducha separada con puerta de plexiglás.
- Suelo antideslizante en ducha y cuarto de aseo
- Alacena, espejo.
- WC eléctrico agua dulce Tecma
- Soporte papel higiénico
- Jabonera
- Toallera mural
- Altura de baos de 2.05m.
- Escotilla de cubierta practicable con mosquitero y obturador.
- 3 focos.

Callejón central babor

- Armario al pie de la escalera de bajada
- 2 plafones de luz

Camarote de proa babor

- Acceso desde el callejón de proa babor por

- Direct access to the bathroom from the cabin through shower. Full size mirror behind door
- Minimum headroom 2.05m (6'9»)
- 2 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights
- Indirect lighting from exterior side shelves

Bathroom for port amidships cabin:

- Access to this bathroom from gangway for day head use (via shower compartment).
- Solid resin countertop ("Ice white" colour) with built in washbasin
- Separate shower stall with plexiglass door.
- Teak floor in bathroom and shower stall.
- Vanity cabinet and mirror.
- Electrical Tecma fresh water toilet
- Toilet paper holder.
- Large leather storage pouch
- Headroom 2.05m (6'9»).

- Opening deck hatch with mosquito screen and blind.
- 3 spotlights

Port midships gangway

- Storage at bottom of steps
- 2 ceiling spotlights
- Indirect lighting from the steps

Port forward cabin

- Access from the forward companionway via wooden door
- Queen size bed (2,05 m/6'9" X 1,60 m/5'3") with side access and wood slats under mattress
- 2 large storage drawers under bed
- Bedside storage
- Hanging locker with light and shelves
- Storage locker on outboard side
- Shelves on hull side
- Leather storage pouch

- puerta de madera
- 1 cama doble – 2.05 x 1.60 m – con accesos laterales. Somier de láminas
 - Cabezal de cama acolchado.
 - Cajones de estiba bajo cama
 - Estantes cabecera de cama.
 - Armario ropero con luz + estantes.
 - Mueble de estiba – lado exterior casco
 - 1 portillo de casco practicable.
 - 1 ventana de casco fija de PMMA serigrafiado.
 - Cortinas de tela ocultantes
 - Escotilla de cubierta practicable con mosquitero y obturador.
 - Puerta de acceso directo al cuarto de baño, con espejo de cuerpo entero lado camarote.
 - Altura de baos mini de 2.05m.
 - 2 tomas 220V.
 - Contramolde de techo con paneles de revestimiento.

- Puerta de entrada camarote
- Iluminación general del camarote con conmutador cerca cama + luces de lectura en cabecera de camas.

Cuarto de aseo camarote de proa babor

- Panel de resina sintética (color: Coffee bean) sobre pila de composite integrada.
- Ducha separada con puerta de plexiglás.
- Suelo antideslizante en ducha y cuarto de aseo
- Alacena, espejo.
- WC eléctrico agua dulce Tecma
- Soporte papel higiénico
- Jabonera
- Toallera mural
- Altura de baos de 2.05m.
- Escotilla de cubierta practicable con mosquitero y obturador.
- 3 focos.

- 1 opening port hole
- Large one way fixed hull window
- Opaque window curtains
- Opening deck hatch with mosquito screen and blind
- Direct access to the bathroom (full size mirror behind door)
- Minimum headroom 2.05m (6'9")
- 2 x 220V outlets
- Cabin door with lock
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from hull side shelves

Forward port cabin bathroom

- Access from the cabin
- Solid resin countertop ("Ice white" colour) with built in washbasin
- Separate shower stall with plexiglass door
- Teak floors in bathroom and shower stall

- Vanity cabinet and mirror
- Electrical Tecma fresh water toilet
- Toilet paper holder
- Leather storage pouch
- Headroom 2.05m (6'9")
- Opening deck hatch with mosquito screen and blind
- 3 spotlights

4 CABIN VERSION : 4 WASHROOMS-LATERAL GALLEY (aft starboard owner's cabin)

Starboard hull

Aft starboard owner's cabin

- Access from the salon via gangway and wooden door
- Queen size bed (2,05 m/6'9" X 1,60 m/5'3") with side access and wood slats under mattress
- 2 large storage drawers under bed

Acomodaciones específicas para las versiones 4 y 5

■ VERSIÓN 4 : 4 camarotes, cocina en casco babor (Camarote propietario de popa estribor):

- 4 camarotes dobles, de los cuales 1 camarote propietario con salón privado
- 4 cuartos de baño :
 - 1 cuarto de aseo propietario con ducha separada y WC separado,
 - 1 cuarto de aseo camarote de popa babor con ducha separada,
 - 2 modulos simétricos o idénticos en popa babor y estribor con ducha separada.

Camarote propietario de popa estribor

- Acceso desde el salón por escalera de bajada y

puerta madera

- Sofá dos asientos en banda interior
- Estantería junto a mamparo de popa.
- 2 armarios roperos, con luz y estantes en bandas exterior e interior.
- Tocado.
- 1 cómoda con cajones en banda exterior
- 1 cama doble – 2.05 x 1.60 m – con accesos laterales. Somier de láminas
- Cabecal de cama acolchado.
- Cajones de estiba bajo cama
- Estantes cabecera de cama.
- Armarios en banda exterior.
- 2 portillos de casco practicables.
- 2 ventanas de casco fijas de PMMA serigrafiado.
- Cortinas de tela ocultantes
- 3 escotillas de cubierta practicables con mosquiteros y obturadores.
- Gran cristalera practicable, en popa, dando un

- Bedside storage
- Large dressing cabinet with 2 lit wardrobes, 4 closets with shelves and 6 drawers
- Bookshelf and storage area next to dressing cabinet
- Shelves on hull side
- Vanity / desk with storage and shelves on hull side
- Wooden stool with cushion
- 2 seat sofa against hull side with side shelf and lower storage area
- 1 opening porthole
- Large one way fixed hull window
- Opaque window curtains
- 3 opening deck hatches with mosquito screens and blinds
- Large glass sliding access door for direct access to cockpit and starboard side transom (opaque curtains optional)
- Direct access to independent WC (full size mirror on door)
- Minimum headroom 2.05m (6'9")

- 4 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from hull side

Owner's bathroom

- Solid resin countertop ("Ice white" colour) with built in washbasin
- Separate shower stall with plexiglass door
- Teak floors in bathroom and shower stall
- Storage and mirror
- Minimum headroom 2.05m (6'9")
- Leather storage pouch
- Opening porthole
- 3 spotlights and indirect lighting from under interior side furniture

Owner's cabin private WC

- Fully independent WC compartment
- Fresh water Tecma electric WC

- acceso privado hacia el faldón con cerradura y cortinas ocultantes
- Puerta de acceso directo al cuarto de baño con espejo de cuerpo entero lado camarote.
 - Altura de baos mini de 2.05m.
 - 4 tomas 220V.
 - Iluminación general del camarote con conmutador cerca cama + luces de lectura en cabecera de camas.

Cuarto de aseo camarote propietario

- Panel de resina sintética (color: Coffee bean) sobre pila de composite integrada.
- Ducha separada con puerta de plexiglás.
- Suelo antideslizante en ducha y cuarto de aseo
- Alacena, espejo.
- Soporte papel higiénico
- Jabonera
- Toallera mural

- Altura de baos de 2.05m.
- Escotilla de cubierta practicable con mosquitero y obturador.
- 3 focos.
- Altura de baos de 2.05m.
- Escotilla de cubierta practicable con mosquitero y obturador.
- WC separado. Ventilación con temporización. WC eléctrico agua dulce Tecma

Camarote de proa estribor

- Acceso desde el callejón de proa por puerta de madera
- 1 cama doble – 2.05 x 1.60 m – con accesos laterales. Somier de láminas
- Cabezal de cama acolchado.
- Cajones de estiba bajo cama
- Estantes cabecera de cama.
- Armario ropero con luz + estantes.

- Mechanical ventilation
- Toilet paper holder
- Large leather storage pouch
- 2.05m (6'9") headroom

VIP starboard forward cabin

- Access from salon via private gangway wooden door
- Queen size bed with side access and wood slats under mattress
- 2 large drawers under bed
- Bedside storage
- Double hanging locker with light , lower storage and drawers on hull side
- Bookshelf on hull side
- Storage on hull side
- Desk with storage and shelf on hull side
- Wooden stool with cushion
- Leather storage pouch
- Opening porthole
- Large one way fixed hull window

- Opaque window curtains
- Opening deck hatch with mosquito screen and blind
- Direct access to the bathroom (full size mirror on door)
- Minimum headroom 2.05m (6'9")
- 2 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from hull side shelves

Forward starboard cabin bathroom

- Direct access from cabin
- Solid resin countertop with built in washbasin ("Ice white" colour)
- Separate shower stall with plexiglass door
- Teak floors in bathroom and shower stall
- Vanity cabinet and mirror
- Electrical Tecma fresh water toilet
- Toilet paper holder

- Estantería lado exterior casco
- 1 portillo de casco practicable.
- 1 ventana de casco fija de PMMA serigrafiado.
- Cortinas de tela ocultantes
- Escotilla de cubierta practicable con mosquitero y obturador.
- Puerta de acceso directo al cuarto de baño, con espejo de cuerpo entero lado camarote.
- Altura de baos mini de 2.05m.
- 2 tomas 220V.
- Contramolde de techo con paneles de revestimiento.
- Puerta de entrada camarote
- Iluminación general del camarote con conmutador cerca cama + luces de lectura en cabecera de camas.

Cuarto de aseo camarote de proa

- Panel de resina sintética (color: Coffee bean)

- sobre pila de composite integrada.
- Ducha separada con puerta de plexiglás.
- Suelo antideslizante en ducha y cuarto de aseo
- Alacena, espejo.
- WC eléctrico agua dulce Tecma
- Soporte papel higiénico
- Jabonera
- Toallera mural
- Altura de baos de 2.05m.
- Escotilla de cubierta practicable con mosquitero y obturador.
- 3 focos.
- Altura de baos de 2.05m.
- Escotilla de cubierta practicable con mosquitero y obturador.

■ VERSIÓN 5 : 5 camarotes, cocina en casco babor

- Large leather storage pouch
- Headroom 2.05m (6'9")
- Opening deck hatch with mosquito screen and blind
- 3 spotlights

5 CABIN VERSION : 5 WASHROOMS-LATERAL GALLEY

Starboard hull

Aft starboard cabin

- Access from the salon via gangway and wooden door
- Queen size bed (2,05 m/6'9" X 1,60 m/5'3") with side access and wood slats under mattress
- 2 large drawers under bed
- Bedside storage
- Double hanging locker with light, lower storage and drawers on interior hull side

- Shelves on hull side
- 1 opening port hole
- 1 large one way fixed hull window
- Opaque window curtains
- 1 opening deck hatch with mosquito screen and blind
- Large glass sliding access door for direct access to cockpit and starboard side transom (opaque curtains optional)
- Retractable stainless steel steps
- Direct access to the bathroom (full size mirror on door)
- Minimum headroom 2.05m (6'9")
- 2 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from hull side shelves

Aft starboard bathroom

- Direct access from cabin. Wooden door

- 5 camarotes dobles
- 5 cuartos de baño cada uno con ducha separada.

Camarote de popa estribor

- Acceso desde el salón por escalera de bajada y puerta de madera
- 1 cama doble – 2.05 x 1.60 m – con accesos laterales. Somier de láminas
- Cabezal de cama acolchado.
- Cajones de estiba bajo cama
- Estantes cabecera de cama.
- Armario ropero con luz + estantes.
- 1 portillo de casco practicable.
- 1 ventana de casco fija de PMMA serigrafiado.
- Cortinas de tela ocultantes
- Escotilla de cubierta practicable con mosquitero y obturador.
- Gran cristalera practicable, en popa con cortinas

ocultantes

- Puerta de acceso directo al cuarto de baño, con espejo de cuerpo entero lado camarote.
- Altura de baos mini de 2.05m.
- 2 tomas 220V.
- Contramolde de techo con paneles de revestimiento.
- Iluminación general del camarote con conmutador cerca cama + luces de lectura en cabecera de camas.

Cuarto de aseo camarote de popa estribor

- Panel de resina sintética (color: Coffee bean) sobre pila de composite integrada.
- Ducha separada con puerta de plexiglás.
- Suelo antideslizante en ducha y cuarto de aseo
- Alacena, espejo.
- WC eléctrico agua dulce Tecma
- Soporte papel higiénico

withfull size mirror

- Solid resin countertop ("Ice white" colour) with built in washbasin
- Separate shower stall with plexiglass door
- Teak floors in bathroom and shower stall
- Vanity cabinet and mirror
- Electrical Tecma fresh water toilet
- Toilet paper holder
- Leather storage pouch
- Headroom 2.05m (6'9")
- Opening deck hatch with mosquito screen and blind
- 3 spotlights

Starboard amidships cabin

- Access from the starboard forward gangway via wooden door
- Queen size bed with side access and wood slats under mattress
- Bedside storage
- 2 large drawers under bed

- Hanging locker with light and shelves on interior hull side
- Leather storage pouch
- 1 opening port hole
- Large one way hull window
- Opaque window curtains
- Opening deck hatch with mosquito screen and blind
- Direct access to bathroom from cabin. Full size mirror on door
- Minimum headroom 2.05m (6'9")
- 2 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from under hull side shelves

Starboard amidships cabin bathroom

- Direct access from the cabin
- Solid resin countertop ("Ice white" colour) with built in washbasin

- Jabonera
- Toallera mural
- Escotilla de cubierta practicable con mosquitero y obturador.
- 3 focos
- Altura de baos de 2.05m.

Camarote central estribor

- Acceso desde el callejón proa estribor por puerta de madera
- 1 cama doble – 2.05 x 1.60 m – con accesos laterales. Somier de láminas
- Cabezal de cama acolchado.
- Cajones de estiba bajo cama
- Estantes cabecera de cama.
- Armario ropero con luz + estantes.
- Estantería lado interior casco encima de la cama.
- 1 portillo de casco practicable.
- 1 ventana de casco fija de PMMA serigrafiado.

- Cortinas de tela ocultantes
- Escotilla de cubierta practicable con mosquitero y obturador.
- Puerta de acceso directo al cuarto de baño por la ducha, con espejo de cuerpo entero lado camarote.
- Altura de baos mini de 2.05m.
- 2 tomas 220V.
- Iluminación general del camarote con conmutador cerca cama + luces de lectura en cabecera de camas.

Cuarto de aseo camarote central estribor

- Acceso al cuarto de baño por el callejón : función WC de día.
- Panel de resina sintética (color: Coffee bean) sobre pila de composite integrada.
- Ducha separada con puerta de plexiglás.
- Suelo antideslizante en ducha y cuarto de aseo

- Separate shower stall with plexiglass door
- Teak floors in bathroom and shower stall
- Locker and mirror
- Electrical Tecma fresh water toilet
- Toilet paper holder
- Leather storage pouch
- Headroom 2.05m (6'9")
- Opening deck hatch with mosquito screen and blind
- 3 spotlights

Forward port cabin

- Access from the starboard forward gangway
- Queen size bed with side access and wood slats under mattress
- Bedside storage
- 2 large drawers under bed
- Lit hanging locker
- Storage cabinet alongside hull
- Shelves alongside hull
- 1 opening port hole

- Large one way hull window
- Opaque window curtains
- Opening deck hatch with mosquito screen and blind
- Direct access to bathroom from cabin. Full size mirror on door
- Minimum headroom 2.05m (6'9")
- 2 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from under hull side shelves

Forward port bathroom

- See 4 CABIN VERSION : 4 WASHROOMS-LATERAL GALLEY (owner's cabin in starboard hull)

Description of PANORAMIC GALLEY Versions common specifications

- Alacena, espejo.
- WC eléctrico agua dulce Tecma
- Soporte papel higiénico
- Jabonera
- Toallera mural
- Escotilla de cubierta practicable con mosquitero y obturador.
- 3 focos.
- Altura de baos de 2.05m.

Camarote de proa estribor

- Ídem Versión 4

Cuarto de aseo camarote de proa

- Ídem Versión 4

Cubierta

Faldones

- Teca en los peldaños

- 2 pasamanos + 1 ducha (AC/AF) en cada faldón.
- 1 escalera de baño replegable y amovible en faldón estribor.

Bañera

- Bañera a la misma altura que el salón.
- Suelo de teca
- Banqueta en "L"
- Cofres de estiba bajo los asientos.
- Gran mesa de bañera de teca de dos tableros
- Mueble de estiba, 3 puertas, con fregadero y panel de resina sintética (Corian (color: Coffee bean))
- Frigorífico 80L.
- Iluminación bañera por 8 focos integrados en el techo con variador
- Espacios de estiba en techo del flybridge
- Viga de popa con 4 cofres de estiba, solarium, sitio para 2 balsas salvavidas 10 asientos,

Salon

- Access from cockpit via sliding door with lock, inside and outside locking and 3 intermediate locking positions
- Storage under floor in the middle of the bridgedeck with hinges and gas struts
- 4 opening hatches forward
- Curtains forward
- 1 gangway on each side against cabintop bulkhead
- 1 gangway on each side behind mast bulkhead
- Mast bulkhead cabinet :
 - Dresser cupboard
 - Storage

Chart table

- Chart table with storage under
- Chart table seat
- Instruments console with panel for recessed navigation instruments
- Touch screen for navigation lights and tank

gauges control

- Main electric panel in cabinet to starboard of chart table
- 2 X 220V outlets
- 1 X 12V outlet

To port

Panoramic galley / port side

- Solid resin countertop ("Ice white" colour)
- Stainless steel double sink under countertops with hot/cold fresh water mixer tap
- Built in dish rest
- 2 waste bins under countertop for selective refuse
- 5 burner butane stove
- Butane oven
- Lower storage with drawers and shelves
- Dedicated space for optional washer-dryer
- 130 l. stainless steel refrigerator
- Upper storage cupboards
- Optional multifunction microwave oven

barandilla de acero inoxidable

Flybridge

- Acceso desde la bañera por una escalera con peldaños de teca en estructura de acero inoxidable.
- Sistema de cerradura de acceso al flybridge
- 2 puestos de gobierno incluyendo :
 - Ruedas del timón diametro 1100mm.
 - Consolas para electrónica
 - Mando y cuadros motores en bitácora babor
 - Colchonetas para asientos y respaldos
 - 1 compás
 - Control del molinete en la bitácora babor
- Gran banqueta en toda la anchura del flybridge.
- Banqueta en L con mesa baja.
- Reenvío de todas las maniobras concentrado en la parte delantera del flybridge alrededor de 4 winches
- 4 espacios de estiba para cabullería

- Sitio para solarium integrado en el tambucho detrás del mástil.
- 1 armario (sitio para frigorífico opcional de flybridge)
- Colchonetas de banquetas y de solarium en opción

Playa de proa

- 1 escotilla de cubierta para acceso compartimento técnico de proa incluyendo:
 - parque baterías servicio
 - Sitio para : grupo electrógeno (opción), cargadores (opción), convertidor (opción), compresor de buceo (opción)
- 1 molinete eléctrico en la cubierta 2000W 24V con barbotín horizontal (cadena 14mm) y mando a distancia
- 1 caja de fondeo situada a estribor del molinete.

- Optional electric hood
- Storage on lateral shelf
- Storage for bottles and knives
- Liquid soap dispenser
- 2 X 220V outlets
- Indirect lighting from upper cupboards

Panoramic galley / central area

- Solid resin countertop ("Ice white" colour)
- Lower storage with drawers and shelves
- Dedicated space for optional dishwasher
- Dedicated space for optional TV
- 2 X 220V outlets

To starboard

- Identical to LATERAL GALLEY Version

Portside hull

- Port middle companionway (behind galley)
- 200 l refrigerator (upper space) and 60l freezer

- (lower space)
- Storage at foot of companionway
 - 2 spotlights
 - Indirect lighting from companionway steps

Aft port cabin

- Access via aft port gangway
- Queen size bed with side access and wood slats under mattress
- Bedside storage
- 2 large drawers under bed
- Double lit hanging locker with lower storage and drawers on interior hull side
- Shelves alongside hull
- 1 opening porthole
- Large one way hull window
- Opaque window curtains
- Opening deck hatch with mosquito screen and blind
- Large glass sliding access door for direct access to cockpit and starboard side transom

- 3 cofres : 2 a babor y 1 a estribor.
- Viga de compresión de inercia de composite integrando : paso del equipo de fondeo, cadenote de estay, cadenote de trinqueta (opción), cadenote de genaker (opción)

Triángulos de proa

- Acceso desde cubierta por escotilla de cubierta

HERRAJE

- Herraje Harken.
- 1 winche de driza Mayor eléctrico STEVA 74.2
- 3 winches manuales STA 74.2 : 2 para escotas y 1 para maniobras
- J arcia de labor :
 - 1 driza de Mayor con doble aparejo de spectra
 - 1 driza de génova de spectra mantenida al pie de mástil en barra de tesar
 - 1 amantillo de botavara

- 3 cabos de rizo
- Escotas de génova
- Escota de Mayor con reenvío puesto de maniobra bajo botavara
- Maniobra de escotero de Mayor en puesto de maniobra babor
- Enrollador de génova eléctrico con control desde el flybridge
- Púlpitos de proa con base de madera.
- Candeleros 840 mm, 3 filas de guardamancebos, 1 puerta de portalón en cada lado
- Regala teca.

Cristales aeración

- Todos los cristales son de PMMA gris
- Escotillas de cubierta ras en ras Lewmar
- Portillos de casco Lewmar
- Cristales fijos de casco de PMMA
- Cristales tambucho PMMA

- (opaque curtains optional)
- Direct access to bathroom from cabin. Full size mirror on door
 - Minimum headroom 2.05m (6'9")
 - 2 x 220V outlets
 - Upholstered ceiling panels
 - General cabin lighting with switches at the entrance and by bed sides + reading lights.
 - Indirect lighting from under hull side shelves

Aft port bathroom

- Direct access from the cabin via door with full size mirror
- Solid resin countertop ("Ice white" colour) with built in washbasin
 - Separate shower stall with plexiglass door
 - Teak floors in bathroom and shower stall
 - Locker and mirror
 - Electrical Tecma fresh water toilet
 - Toilet paper holder
 - Large leather storage pouch

- Headroom 2.05m (6'9")
- Opening deck hatch with mosquito screen and blind
- 3 spotlights

Port cabin amidships

Access from the port aft gangway

- Queen size bed with side access and wood slats under mattress
- Bedside storage
- Drawers under bed
- Storage cabinet & bookshelf against interior hull side
- Hanging locker along hull side
- Desk with shelves alongside hull
- 1 wooden stool with cushion
- Leather storage pouch
- 1 opening port hole
- Large one way hull window
- Opaque window curtains
- Opening deck hatch with mosquito screen

- Puerta de entrada corredera de cristal securit con marco lacado blanco
- 2 conjuntos cristales de cristal securit con puerta corredera para acceso a los camarotes de popa con protección solar

Aparejo / Jarcia

- Mástil y botavara de aluminio pintado.
- Viga longitudinal de composite
- Viga transversal de aluminio
- Lazy jacks ajustables retomados en separadores

Velas

- Mayor full batten : 146 m² de Dacron tipo Dymension Polyant doble pliegos, 3 bandas de rizos, logo Lagoon
- Génova enrollable : 91 m² de Dacron tipo Dymension Polyant doble pliegos, banda de protección solar

Decoración exterior

- 1 banda flotación gris
- Banda de decoración gris a la altura de los portillos de casco
- Logo LAGOON en los lados del tambucho.
- Nombre del modelo en la parte trasera de cada casco y en la parte trasera del flybridge

Construcción

- Material de construcción : proceso de infusión de resinas poliéster y anti-ósmosis de alta calidad en un alma de balsa y pieles de fibra de vidrio. Fondos de casco y quilla de estratificado monolítico por infusión.
- Mamparos estructurales (sandwich balsa) por infusión.
- Sentinas pintadas de gris claro.
- Acabado de casco en gel coat blanco.
- Cubierta en gel coat blanco con antideslizante integrado, tipo punta de diamante.

and blind

- Direct access to bathroom from cabin. Full size mirror on door
- Minimum headroom 2.05m (6'9")
- 2 x 220V outlets
- Upholstered ceiling panels
- General cabin lighting with switches at the entrance and by bed sides + reading lights.
- Indirect lighting from under hull side shelves

Port amidships cabin bathroom

- Direct access from the cabin via door with full size mirror
- Solid resin countertop ("Ice white" colour) with built in washbasin
- Separate shower stall with plexiglass door
- Teak floors in bathroom and shower stall
- Locker and mirror
- Electrical Tecma fresh water toilet
- Toilet paper holder
- Large leather storage pouch

- Headroom 2.05m (6'9")
- Opening deck hatch with mosquito screen and blind
- 3 spotlights

Forward port cabin

- Identical to LATERAL GALLEY Versions

5 CABIN VERSION : 5 WASHROOMS-PANORAMIC GALLEY (owner's cabin in starboard hull)

Starboard hull

- Identical to 4 CABIN VERSION : 4 WASHROOMS-LATERAL GALLEY (owner's cabin in starboard hull)

6 CABIN VERSION : 6 WASHROOMS-PANORAMIC GALLEY

- Identical to 5 CABIN VERSION : 5 WASHROOMS-LATERAL GALLEY

Deck

Transoms

- Teak on steps.
- 2 handrails + 1 transom shower on starboard transom
- 1 foldable and removable swim ladder on starboard transom

Cockpit

- Cockpit and salon on one level (no steps)
- Teak cockpit floor
- L shaped settee
- Storage under settee
- Large teak cockpit table made of 2 separate tops
- 3 teak door cockpit locker with sink and resin countertop (colour : Ice white)
- Cockpit fridge 80 L (21 US Gal)
- 8 spotlights recessed in hard top ceiling with dimmer switch
- Storage in cockpit ceiling

- Aft crossbeam with 4 storage lockers, sun lounging area, dedicated space for 2 X 10 person life raft, stainless steel railing
- 4 teak folding chairs

Flybridge

- Access from cockpit via stairway with teak steps on stainless steel frame
- Flybridge access closing system
- 2 helm stations including :
 - 1100 mm (3'7") diameter wheels
 - Navigation instruments pods
 - Engine throttles and control panels on port steering station
 - Cushions for settees + backrest
 - 1 steering compass each
 - Windlass control on port steering station
 - Large settee across entire width of flybridge
 - "L " shaped settee
 - All lines led to forward part of the flybridge cockpit around 4 winches
-

- 4 lines storage boxes
- Recessed sun lounging area aft of mast base
- 1 storage locker (housing for optional flybridge fridge)
- Settee and sun lounging cushions are optional

Foredeck

- 1 deck hatch for technical compartment access
 - house battery bank
 - dedicated area for generator (optional), chargers (opt.), inverter (opt.), dive compressor (opt.)
- 2000W 24V electric windlass on deck with horizontal gipsy (14mm chain) and remote control
- Chain locker to starboard of the windlass.
- 3 deck lockers 2 to port and 1 to starboard.
- Composite longitudinal compression beam including anchor chain run, forestay chain plate, staysail and gennaker tack fittings (staysail and gennaker optional).

Bow lockers

- Access through a deck hatch.

Deck hardware

- Harken deck gear
- 1 X STEVA 74.2 mainsail halyard electric winch
- 3 X STA 74.2 manual winches : 2 for genoa sheets and 1 for reefing lines and traveller lines
- Running rigging :
 - 1 double purchase spectra mainsail halyard
 - 1 spectra Genoa halyard with tension adjustment track at mast base.
 - 1 boom topping lift
 - 3 reefing lines
 - Genoa sheets
 - Mainsail sheet led back to winches via boom
 - Main traveller adjustment next to port side winches
- Electric genoa furler with control on flybridge
- Pulpits with wooden seats

- 840mm (2' 9") stanchions, triple lifelines, 1 lifeline gate on each side
- Toe rail

Openings

- All windows in grey tinted Plexiglass
- Recessed Lewmar deck hatches
- Lewmar port holes
- Plexiglass one way fixed hull windows
- Plexiglass salon windows
- Safety glass salon door with white lacquered aluminium frame
- 2 sets of tinted safety glass doors with sliding panel to access galley to port and cabin to starboard

Mast / Rigging

- Mast and boom in white lacquered aluminium
- FRP longitudinal crossbeam
- Aluminium transversal crossbeam
- Adjustable lazy-jacks with spreaders

Sails

- Full Batten double thickness 146m² (1571 sq Feet) « Dimension Polyant » - type Mainsail. 3 reefs
- Lagoon logo printed in the main sail
- Double thickness 97m² (1044 sq feet) «Dimension Polyant » - type furling genoa. UV protective strip

Hull decoration

- 1 grey waterline stripe
- 1 grey stripe at hull port holes level
- Lagoon logo on roof
- Name of model and hailing port on transom steps

Construction

- Infused FRP + balsa core with polyester and high quality anti-osmotic resins. Hull bottom and keels in solid infused laminate
 - Infused balsa core structural bulkheads
-

- Grey paint coat in bilges
- White gel coat hulls
- White gel coat decks with non skid areas

US specifications include

- 110V AC circuit
 - 110V heating element in water heaters
 - Propane instead of butane for stove and oven
 - Non metric gipsy on windlass
-

Eslora total / LOA.....	18,90 m / 62'
Eslora flotación / LWL.....	18,20 m / 59'9"
Manga total / BOA.....	10,00 m / 32'10"
Altura sobre quilla / Mast Height Over Water	31 m / 101'9"
Calado / Draft.....	1,55 m / 5'1"
Desplazamiento en vacío norma CE / Light displacement (EEC)	27 t / 59535 Lbs
Mayor full batten / Full batten main	139 m ² / 1 496 sq.ft.
Mayor CST (Hydranet-opción) / Square top mainsail (opt.).....	146 m ² / 1 571 sq.ft.
Génova enrollable / Furling genoa	91 m ² / 979 sq.ft.
Trinqueta enrollable (opción) / Furling staysail (opt.).....	48 m ² / 516 sq.ft.
Spinaker (opción) / Spinnaker (opt.)	300 m ² / 3228 sq.ft.
Genaker (opción) / Furling genoa (opt.)	190 m ² / 2044 sq.ft.
Agua / Water	4 x 240 l / 4 x 63 US Gal
Carburante / Fuel.....	2 x 650 l / 2 x 172 US Gal
Motorización / Standard engine size	2 x 110 CV / 2 x 110 HP
Acabado interior	Alpi roble claro y suelo marrón
Interior finish.....	Light oak alpi and non skid laminated wenge for the wood floor
Arquitectos / Architects.....	Marc Van Peteghem & Vincent Lauriot Prévost (VPLP)
Certificación CE / EC Certification	A : 14 ; B : 14 ; C : 16 ; D : 30



162, quai de Brazza
 33100 Bordeaux Cedex - France
 Tél. 33 + (0) 557 80 92 80
 E-mail : info@cata-lagoon.com

www.cata-lagoon.com